

Technical Sheet



Product Highlights

KasselWood by Kassel & Irons manufactures environmentally conscious steel roofing that is stunningly beautiful and designed for the utmost in protection and durability for your home. With an outstanding warranty and unmatched performance, our interlocking steel roof panels with concealed fasteners stand up to extreme temperatures and harsh weather. Our products are manufactured with a high content of recycled materials, providing summer energy savings and reduced construction waste. That adds up to positive environmental benefits from just one good roofing decision.



Product Specifications

3:12 Pitch or greater

Minimum Slope:

Thickness:

Protective Film Available Upon Request

Applications: Roofing, Wall, Interior Coatings: PVDF (Kynar 500® or Hylar 5000®)

Exposure: Substrate: 5 5/8" x 40 5/8" G90 Galvanized Grade E (yield strength of 80,000 psi)

Fastening System: Concealed Fastening Field Conditions: Oil Canning is inherent in all light gauge metal products & is not a cause for

rejection. Visit www.briggssteel.com/oilcanning for more information.

Trim, Custom Trim, Fasteners, Sealant, Closures, Venting, Pipe Flashings, Substrate Install: Underlayment, Snow Retention, Polycarbonate Panels, Many Tools.

More Details:

29ga High Quality Grade D (yield strength of 50,000 psi) For more information about this profile, please visit www.BriggsSteel.com

Note: For standard color selection, consult the current Briggs Steel Color Selection Guides. Custom colors are available upon request. **Actual coverage may vary slightly due to the characteristics of the steel

Testing

Meets Requirements for: UL 580 Class 90 Uplift Resistance UL 2218 Class 4 Impact Resistance ASTM 108 Class A Fire Resistance For more testing information please visit www.briggssteel.com/resources/testing