


FacadeX Series / ACM Wetseal System

Product Highlights

This ACM Wetseal System is an Architectural Wall Cladding System that was developed to customize to your size of panels and for ease of install, beauty & cost efficient. Available in many thicknesses and colors, your sure to find the one you need to complete your project look. Using Aluminum Extrusion and Aluminum Composite Material, this panel is very durable and can be customized to fit the look you need along with the PVDF (Kynar 500® or Hylar 5000®). One of the only systems available for new & remodel construction.



(Variable Types & Sizes)

Materials Available

0.812mm Aluminum

3mm, 4mm, 6mm Aluminum Composite Material

26ga, 24ga, 22ga, 20ga, 18ga, 16ga Steel

16oz, 20oz, 24oz, 32oz Natural Copper

0.7mm, 0.8mm, 1.0mm Natural Zinc

PVDF (Kynar 500® or Hylar 5000®)

PVDF 3 Coat (Kynar 500® or Hylar 5000®)

Vintage®

Western Rust

Cor-Ten AZP® Raw

Copper-Ten® Raw

Galv-Ten® Raw

Galvalume® (Acrylic Coating)

Galvanized

Electro-Galvanized

Galvannealed

Bonderized Weathering Steel

ReziBond® Weathering Steel

Cold Rolled Weathering Steel

A606-4 (Corten) Weathering Steel

Hammered Copper

Natural Zinc

(See Color Guide(s) for Many More Options)


Product Specifications

! Applications:	Wall, Soffit, Fascia	! Coatings:	PVDF (Kynar 500® or Hylar 5000®) PVDF 3 Coat (Kynar 500® or Hylar 5000®)
! Coverage:	Custom Widths & Lengths	! Fielding Conditions:	Oil Canning is inherent in all light gauge metal products & is not a cause for rejection. Visit www.briggssteel.com/oilcanning for more information.
! Fastening System:	Aluminum Extrusion mounted with fasteners	! Accessories:	Trim, Custom Trim, Fasteners, Sealant, Closures, Venting, Pipe Flashings, Underlayment, Snow Retention, Polycarbonate Panels, Many Tools.
! Substrate Install:	Solid	! More Details:	For more information about this profile, please visit www.BriggsSteel.com
! Thickness:	3mm, 4mm, 6mm (Please inquire for more available thicknesses)		
! Substrate:	Aluminum Composite Material		

Protective Film Available Upon Request

Note: For standard color selection, consult the current Briggs Steel Color Selection Guides. Custom colors are available upon request.
 **Actual coverage may vary slightly due to the characteristics of the steel.

ACM Wetseal Sample Details



Testing

Meets Requirements for:
 AAMA 508-07 Pressure Equalized Rain Screen Wall
 ASTM E283-12 Air Infiltration
 ASTM E1233-06 Performance of Cyclic air pressure differential
 ASTM E331-09 Water Penetration
 AAMA 5011-05 Dynamic Pressure
 AAMA 509-14 Drain and Back Ventilated Rain Screen Wall
 AAMA 501.05 Water Penetration
 ASTM E330M-14 Uniform Static Air Pressure Difference
 For more testing information please visit www.briggssteel.com/resources/testing